

Unit	Minimum Daily Production Rate (gallons)	Vessel Working Volume (gallons)	Vessel Total Volume (gallons)	Voltage	kW	Amps	Weight (lbs)	Dimensions (WxDxH) in Inches	Chiller Size (tons)
OERS-SC-16	50	16	25	480	5	8	1350	64x60x90	3
OERS-SC-32	100	32	50	480	10	15	1650	60x64x96	5
OERS-SC-55	200	55	85	480	15	23	1800	70x62x82	5
OERS-SC-75	300	75	110	480	20	30	1950	102x74x94	7.5
OERS-SC-110	400	110	165	480	30	46	2100	102x84x96	10



Unit	Minimum Daily Production Rate (gallons)	Vessel Working Volume (gallons)	Vessel Total Volume (gallons)	Voltage	kW	Amps	Weight (lbs)	Dimensions (WxDxH) in Inches	Chiller Size (tons)
OERS-C-5	100	32	50	480	10	15	2100	58x48x90	3
OERS-C-10	200	55	85	480	15	23	2900	60x60x100	5
OERS-C-15	300	120	200	480	20	30	3900	70x70x104	10
OERS-C-20	400	180	270	480	40	60	5900	90x78x124	15
OERS-C-30	600	250	400	480	60	90	6400	100x80x130	20
OERS-C-40	800	300	450	480	70	105	7500	108x132x168	20
OERS-C-50	1000	350	550	480	100	150	8500	108x132x168	30
OERS-C-60	1200	400	600	480	125	180	9500	108x132x168	35
OERS-C-80	1600	450	700	480	150	225	10500	108x132x168	40
OERS-C-100	2000	500	800	480	175	265	12000	108x132x168	50

